



WITH



CITY LIGHTS



WITH



CITY LIGHTS

# CITY LIGHTS

LIKE AN ETERNAL AND INEXHAUSTIBLE TORCH, CITY LIGHTS SHINES WITH ITS OWN LIGHT TO MELT EVEN THE COLDEST SPIRITS. A CONTEMPORARY, URBAN AND ECLECTIC CHARACTER WILL SHOW YOU THE RIGHT WAY. COME OUT, THE CITY IS ALREADY ON FIRE AND JUST WAITING TO BE LIVED.

Come un'eterna ed inesauribile fiaccola, City Lights brilla di luce propria per sciogliere anche gli animi più freddi. Un carattere contemporaneo, urban ed eclettico ti mostrerà la strada giusta. Esci, la città è già in fiamme ed aspetta solo di essere vissuta.

Telle une torche éternelle et inépuisable, City Lights brille de ses propres feux pour faire fondre les mentalités les plus austères. Un caractère contemporain, urbain et éclectique vous indiquera la voie. Sortez, la ville s'allume déjà et n'attend plus que de vous faire rêver.

Wie eine ewige und unerschöpfliche Fackel erstrahlt City Lights im eigenen Licht, um auch die kältesten Seelen zum Schmelzen zu bringen. Ein zeitgenössischer, urbaner und eklektischer Charakter wird Ihnen den richtigen Weg weisen. Gehen Sie hinaus, die Stadt steht bereits in Flammen und wartet nur darauf, erlebt zu werden.

Como una llama eterna e inagotable, City Lights brilla con luz propia para que ardan incluso los temperamentos más fríos. Un carácter contemporáneo, urbano y ecléctico te mostrará el camino correcto. Sal, la ciudad ya está en llamas y solo espera ser vivida.

City Lights сверкает будто вечный и неугасаемый факел, растапливающий даже самые холодные души. Современный урбанистический и эклектичный характер плитки укажет вам правильный путь. Следуйте ему, устремляясь в объятый пламенем огней город, наполняющийся жизнью.

犹如一团永恒之火, City Lights以一己之光,融化冰封之心.摩登时尚且不偏不倚的个性会为你赋予一条光明大道.走上街头,流光溢彩的城市注定生机勃勃.

## INDEX

4

CITY LIGHTS SKY, SKY COLOR

pub

12

CITY LIGHTS NIGHT, NIGHT COLOR

shop

20

CITY LIGHTS GREY, GREY COLOR

living

26

CITY LIGHTS AMBER, AMBER COLOR

hotel

34

CITY LIGHTS

products



CITY  
LIGHTS

right wall\_CITY LIGHTS SKY COLORS 75x25 cm - 29"x10"  
floor\_ALUROCK INDIGO 60x60 cm - 24"x24"

LIKE  
WINDOWS  
ILLUMINATED  
IN THE DARK,  
SHINE.

---



left wall and counter\_ CITY LIGHTS SKY 75x25 cm - 29"x10"  
right wall\_ CITY LIGHTS SKY COLORS 75X25 cm - 29"x10"  
floor\_ ALUROCK INDIGO 60x60 cm - 24"x24"

CITY  
LIGHTS



wall and counter\_CITY LIGHTS SKY 75x25 cm - 29"x4"  
floor\_ALUROCK INDIGO 60x60 cm - 24"x24"

CITY  
LIGHTS



CITY  
LIGHTS

City Lights Sky





wall\_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"  
floor\_LIQUID STONE BLACK 60x60 cm - 24"x24"

CITY  
LIGHTS



CITY  
LIGHTS

left wall \_CITY LIGHTS NIGHT COLORS 75x25 cm - 29"x10"  
right wall \_CITY LIGHTS NIGHT 75X25 cm - 29"x10"  
floor \_LIQUID STONE BLACK 60x60 cm - 24"x24"



CITY  
LIGHTS

wall\_CITY LIGHTS NIGHT 75x25 cm - 29"x10"  
floor\_LIQUID STONE BLACK 60x60 cm - 24"x24"



City Lights Night Colors

CITY  
LIGHTS



DBLIBLT78  
A LOT OF STUFF  
BN150N - -  
LOVE STAY  
PEACEY F9  
0445 77555

CITY  
LIGHTS

wall\_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"  
floor\_LIQUID STONE BRONZE 60x60 cm - 24"x24"

IT SHINES WITH  
ITS OWN LIGHT  
TO GLEAN  
AMONG THE  
FORMS OF  
THE CITY.

---



CITY  
LIGHTS

wall\_CITY LIGHTS GREY COLORS 75x25 cm - 29"x10"  
LIQUID STONE BRONZE 60x60 cm - 24"x24"  
floor\_LIQUID STONE BRONZE 60x60 cm - 24"x24"



CITY  
LIGHTS

City Lights Grey





front wall\_CITY LIGHTS AMBER 75x25 cm - 29"x10"  
right wall\_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor\_LIQUID STONE MUD 120x60 cm - 48"x24"

CITY  
LIGHTS

WATCH ME  
CHANGE  
SHAPE  
AND COLOR,  
CONTINUOUSLY.

---

CITY  
LIGHTS

left wall\_CITY LIGHTS AMBER 75x25 cm - 29"x10"  
right wall\_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor\_LIQUID STONE MUD 120x60 cm - 48"x24"





CITY  
LIGHTS

left wall\_CITY LIGHTS AMBER 75x25 cm - 29"x10"  
front wall\_CITY LIGHTS AMBER COLORS 75X25 cm - 29"x10"  
floor\_LIQUID STONE MUD 120x60 cm - 48"x24"



City Lights Amber Colors

CITY  
LIGHTS




75x25 cm  
 29"x10"

CITY LIGHTS AMBER 575335   
 CITY LIGHTS AMBER COLORS 575334 




75x25 cm  
 29"x10"


CITY LIGHTS GREY 575337   
 CITY LIGHTS GREY COLORS 575336 





75x25 cm  
 29"x10"  


CITY LIGHTS NIGHT	575331	41A
CITY LIGHTS NIGHT COLORS	575330	41A





75x25 cm  
 29"x10"  


CITY LIGHTS SKY	575333	41A
CITY LIGHTS SKY COLORS	575332	41A



**PACKING**










SIZE	THICKNESS	KG/MQ	BOX			EUROPALLET		
				mq	box	mq		
75x25 . 29"x10"	11 mm . 0,43"	25,5	6	1,125	28	31,5		

# TECHNICAL CHARACTERISTICS

RIVESTIMENTI / WALL TILES / REVÊTEMENTS / WANDFLIESEN / REVESTIMIENTOS / ПЛИТКА ДЛЯ СТЕН . 牆面瓷磚

## SEMIGRES

CLASSIFICAZIONE SECONDO NORME EN 14411 - ALLEGATO L - GRUPPO B III / CLASSIFICATION IN ACCORDANCE WITH EN 14411 - ANNEX L - GROUP B III  
 CLASSIFICATION SELON LES NORMES EN 14411 - ANNEXE L - GROUPE B III / KLASIFIZIERUNG GEMÄSS NORMEN EN 14411 - ANLAGE L - GRUPPE B III  
 CLASIFICACIÓN SEGÚN NORMAS EN 14411 - ADJUNTO L - GRUPO B III / КЛАССИФИКАЦИЯ В СООТВЕТСТВИИ С СТАНДАРТАМИ EN 14411 - ВЛОЖЕННЫХ Л - ГРУППЕ В III  
 類別遵照 EN 14411 附錄 L B III 組


	PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES PROPRIÉTÉS PHYSICO-CHIMIQUES PHYSIKALISCH-CHEMISCHE EIGENSCHAFTEN-PROPIEDADES FÍSICO-QUÍMICAS-СВОЙСТВА ХИМИЧЕСКИМИ - ФИЗИЧЕСКИМИ 物理-化學性能	TIPO DI PROVA STANDARD OF TEST NORME DU TEST TESTNORM TIPO DE PRUEBAS ВИД КОНТРОЛЯ 測試標準	VALORE PRESCRITTO REQUIRED VALUE VALEUR PRESCRITE VORGESCHRIEBENER WERT VALOR PRESCRITO РЕКОМЕНДУЕМАЯ СТОИМОСТЬ 要求值	VALORE MEDIO AVERAGE VALUE VALEUR MOYENNE MITTELWERT VALOR MEDIO СРЕДНИЕ ЗНАЧЕНИЯ 均值
	Dimensioni Sizes Dimensions Abmessungen Dimensiones Форматы 尺寸	ISO 10545.2	Lunghezza e larghezza / Length and width / Longueur et largeur Länge und breite / Largura y anchura / Длина и ширина 長度和寬度 Spessore / Thickness / Epaisseur / Stärke / Espesor / Толщина 厚度 Rettilineità spigoli / Warpage of edges / Rectitude des arêtes Kantengeradheit / Rectilineidad cantos / Прямолинейность сторон 線性度 Ortogonalità / Wedging / Orthogonalité Rechtwinkligkeit / Ortogonalidad / Ортогональности 楔固固 Planarità / Warpage / Planéité Ebenflächigkeit / Planitud / Плоскостности / 翹曲	± 0,5% ± 0,5% ± 10 % ± 5% ± 0,3% ± 0,3% ± 0,5% ± 0,4% ± 0,5% ± 0,3%
	Assorbimento d'acqua Water absorption Absorption d'eau Wasseraufnahme Absorción de agua Водопоглощение 吸水性	ISO 10545.3	E > 10%	~ 16%
	Resistenza alla flessione Bending strength Résistance à la flexion Biegefestigkeit Resistencia a la flexión Прочность на изгиб 抗彎曲性	ISO 10545.4	Modulo di rottura Modulus of rupture Module de rupture Bruchmodul Módulo de rotura Прочность на изгиб 斷裂模組	22 N/mm <sup>2</sup> R ≥ 15 N/mm <sup>2</sup>
	Resistenza all'abrasione Resistance to abrasion Résistance à l'abrasion Abriebhärte Resistencia a la abrasión Износостойчивость 抗磨損性	ISO 10545.7	Secondo i dati del produttore According to the manufacturer's data Selon les données du producteur Gemäß der Angaben des Herstellers De acuerdo con los datos del fabricante В соответствии с данными изготовителя 根據製造商信息	Indicata sul catalogo Indicated in the catalog Indiquée dans le catalogue Im katalog angegeben Indicada en el catálogo Указана в каталоге 在目錄中的指示
	Coefficiente di dilatazione termica lineare Coefficient of linear thermal expansion Coefficient de dilatation thermique lineaire Wärmeausdehnungskoeffizient Coeficiente de dilatación térmica lineal Коэффициент теплового расширения 線性熱膨脹係數	ISO 10545.8	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	8x10 <sup>-6</sup> °C <sup>-1</sup>
	Resistenza agli sbalzi termici Resistance to thermal shock Résistance aux variations thermiques Temperaturwechselbeständigkeit Resistencia a los cambios de temperatura Устойчивость к резким перепадам температур 抗熱衝擊性	ISO 10545.9	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
	Resistenza al cavillo Crazing resistance Résistance au tressillage Haarrißbeständigkeit Resistencia al agrietado Стойкость к образованию трещин 抗裂性	ISO 10545.11	Metodo disponibile Test method available Méthode disponible Verfügbares verfahren Método disponible Доступный метод 可以使用的測試方法	Garantita Guaranteed Garantie Garantiert Garantizada Гарантия 保證
	Resistenza ai prodotti chimici Chemical resistance Résistance aux produits chimiques Chemikalienfestigkeit Resistencia a los productos químicos Химическая устойчивость 耐化學性	ISO 10545.13	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标	
	Resistenza alle macchie Stain resistance Resistance aux taches Fleckenbeständigkeit Resistencia a las manchas Устойчивость к пятнообразованию 耐沾污性	ISO 10545.14	CLASSE 3 min.	Conforme In conformity Conforme Erfüllt die Anforderungen Conforme Соответствует 达标

# SAFE SYSTEM


## Grado di variazione cromatica

Degree of colour change . Grad der farbabweichung . Degre de variation chromatique . Grado de variación cromática . СТЕПЕНЬ ИЗМЕНЕНИЯ ЦВЕТА . 变色度


COLLEZIONE COLLECTION KOLLEKTION COLLECTION COLECCIÓN КОЛЛЕКЦИЯ 系列		
CITY LIGHTS	WALL	V2
CITY LIGHTS COLORS	WALL	V4




**V1 - LOW .**  
 Prodotto monocromatico . Monochromatic product  
 Produit monochromatique . Einfarbiges produkt  
 Producto monocromático . ОДНОЦВЕТНЫЙ ПРОДУКТ  
 单色产品



**V2 - MODERATE .**  
 Prodotto con leggera variazione cromatica . Product with light chromatic variation  
 Produit à légère variation chromatique . Produkt mit leichter farbnance  
 Producto con una ligera variación cromática  
 ПРОДУКТ С ЛЕГКИМИ ИЗМЕНЕНИЯМИ ОТТЕНКОВ . 轻微变色的产品



**V3 - HIGH .**  
 Prodotto con marcata variazione cromatica . Product with high shade chromatic variation  
 Produit à variation chromatique accentuée . Produkt mit ausgeprägter farbnance  
 Producto con una marcada variación cromática . ПРОДУКТ С ВЫРАЖЕННЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА  
 高度变色的产品



**V4 - EXTREME .**  
 Prodotto con forte variazione cromatica . Product with very high shade chromatic variation  
 Produit à forte variation chromatique . Produkt mit starker farbnance  
 Producto con una fuerte variación cromática  
 ПРОДУКТ С СИЛЬНЫМИ ИЗМЕНЕНИЯМИ ЦВЕТА . 高度变色的产品



wall



floor



collection

Marketing IRIS CERAMICA

Art Direction / Concept  
Graphic Design / Copy  
ARCHÈ AGENCY

3D Image / Post Production  
ARCHÈ AGENCY



**IRIS CERAMICA**

Via Ghiarola Nuova, 119  
Zona Industriale I  
41042 Fiorano Modenese (MO) - Italy

T. +39 0536 86 21 11  
Fax +39 0536 80 46 02  
info@irisceramica.com

[irisceramica.com](http://irisceramica.com)  
[diesel.com/living](http://diesel.com/living)