

Status

Porcelánico / Porcelain tiles

240 x 120 cm. — 94,48" x 47,24"
60 x 120 cm. — 23,62" x 47,24"



XLAB



Status P Natural
240 x 120 cm.

XL2412L




Status Natural
60 x 120 cm.

P6012L

—
Espesor / Thickness — 6 mm.
Variación Gráfica / Different Pattern — 6

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
60 x 120 Natural RC6012	10 x 60	29	15


Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles
Ver pág. / See p. 381



Status P Natural 240 x 120 cm. — Pavimento / Floor Tiles: Status P Natural 240 x 120 cm.

Status

Porcelánico / Porcelain tiles



240 x 120 cm. — 94,48" x 47,24"
 120 x 120 cm. — 47,24" x 47,24"
 60 x 120 cm. — 23,62" x 47,24"
 60 x 60 cm. — 23,62" x 23,62"

XLAB



Status P Pulido
240 x 120 cm.

XL2412V



Status Pulido
60 x 120 cm.

P6012P



Status Pulido
120 x 120 cm.

P1212V

—
 Espesor / Thickness — 7 mm.
 Variación Gráfica / Different Pattern — 6

Rodapé Corte / Cut Skirting	SIZE	TR	PCK
120 x 120 Pulido RC1212	10 x 60	32	15
60 x 120 Pulido RC6012	10 x 60	31	15

Se aconseja uso del Sistema Nivelado
 We recommend using Levelling System to lay the tiles
 Ver pág. / See p. 381



Status Pulido 120 x 120 cm.

Status

Pasta blanca / White body tiles

40 x 120 cm. — 15,75" x 47,24"
60 x 60 cm. — 23,62" x 23,62"



Status
40 x 120 cm. WB4012R



Volume Status
40 x 120 cm. WB4012RB



Tip Status
40 x 120 cm. WB4012RB



Pavimento coordinado
Coordinated floor tiles



Status
60 x 60 cm. Rect. PR6060R

Rodapié Corte / Cut Skirting	SIZE	TR	PCK
60 x 60 RC6060	10 x 60	24	15

Se aconseja uso del Sistema Nivelado
We recommend using Levelling System to lay the tiles
Ver pág. / See p. 381



Status 40 x 120 cm. Tip Status 40 x 120 cm. — Pavimento / Floor Tiles: Status 60 x 60 cm.